



CARGO CONTROL



NOTHING WORKS LIKE A DOGG™

Our History



1946 Buyers Products Company founded by Sam Ruven and Bessie Kleinman as a distributor of driveline components.



Buyers continued to grow its product offerings and build valued relationships with customers and suppliers. Increased demand for products led to the pursuit of supply chain manufacturing solutions.



1992 Buyers acquired Trailer Components Manufacturing (Tracom) for CNC precision machining and tooling, as well as state-of-the-art welding.



1995 Buyers acquired Progressive Powder Coating. Our Nordson automatic powder application booth is used to powder coat our Buyers toolboxes and other truck and trailer accessories.



2002 Buyers moved its corporate headquarters to a brand new 235,000 sq. ft. state-of-the-art office and distribution center.



2004 Buyers acquired Romotech in New Paris, Indiana. Our Ferry Industries Rotospeed molding machines are used to manufacture our poly salt spreaders.



2007 Buyers began manufacturing the SnowDogg stainless steel snowplow at our Mentor, Ohio facility.



2009 Buyers began our operations at Boomerang Rubber, in Botkins, Ohio manufacturing mudflaps, wheel chocks and other rubber truck and trailer accessories.



2013 Buyers acquired an additional 500,000 sq. ft. manufacturing facility in Mentor, Ohio allowing for expansion of our aluminum and stainless steel manufacturing.



2016 Buyers establishes a 22,000 sq ft Engineering Tech Center in Mentor, Ohio. It's multi-use lab, design, training and prototyping space is dedicated to the research and development of innovative product.

ALL YOUR WORK TRUCK PRODUCTS ALL THE TIME.

2017 Buyers launches new website with business partner portal, to make online ordering and account maintenance easy for customers.



2021 Buyers adds almost 300,000 sq ft of additional, state-of-the-art warehouse and office space to maintain the quick turnaround and competitive value their customers expect.

Our Corporate Family of Companies



Founded in 1946, Buyers Products is a fully integrated manufacturer and a leader in the truck equipment industry. Our engineering, manufacturing and assembly operations take place in the USA, under the Buyers family of companies. **Buyers Products' mission is to improve our Customers' profitability and productivity while enhancing the quality of our products and services.**





TIE DOWNS & HARDWARE 4-15

Commercial Duty.....4

WINCHES

Winch Straps6

Bolt-On 6-7

Weld-On 6-7

Sliding Trailer7

Winch Bars7

Heavy Duty8

Standard Duty10

Light Duty12

Recovery14

E-TRACK..... 16-19

E-Track16

E-Track Straps..... 16-17

E-Track Accessories..... 17-18

Super Track19

STAKE POCKET D-RINGS20

D-RINGS..... 21-23

1" Forged D-Ring - Weld On21

1" Rotating Forged D-Rings.....21

3/4" Forged D-Ring - Weld On.....22

5/8" Forged D-Ring - Weld On22

1/2" Forged D-Ring - Weld On23

1/2" Forged D-Ring with Bracket.....23

ROPE RINGS 24-28

Recessed Mounted Rope Rings24

Weld On Rope Rings26

Rope Ring with Bracket26

Surface Mounted Rope Rings.....28

LOAD BINDERS29

MISCELLANEOUS.....30

PLANOGRAMS31

NEW PRODUCTS:

30 FT COMMERCIAL DUTY RATCHET TIE DOWN WITH SOFT RUBBER GRIP HANDLE *pg. 4*



5483005

14 FT. ALUMINUM HEAVY DUTY RATCHET TIE DOWN *pg. 8*



5483115

20 FT. TOW STRAP WITH REINFORCED LOOPS *pg. 14*



5483500


2-1/2 IN. ANCHOR SHACKLES FOR HITCH RECEIVERS *pg. 15*



1804025


Commercial Duty

Commercial Grade tie down straps and accessories are designed and manufactured with the professional contractor in mind. Heavy duty steel construction, superior strength, and high visibility webbing make transporting large cargo easier. Secure large cargo loads up to 3300 lbs.



RATCHET STRAPS

- Great for securing large loads, equipment, building supplies, and more
- Wide through-handle design provides a full grip for enhanced power and control
- Durable flat hooks provide a secure attachment for flatbed/heavy duty trailers
- Ratchet mechanism allows for precise tension adjustments to secure all loads



30 Foot Yellow Strap, Flat Hooks

- Steel components are zinc-plated for corrosion resistance



Part No.	Description	Size	Hook Style	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
5483005*	Single Piece	2" x 30'	Flat	3,300	10,000	548 (N)
5483005CC*	Full Cut Case (4 pieces per case)					

30 Foot Yellow Strap, Double J Hooks

- Steel components are zinc-plated for corrosion resistance



Part No.	Description	Size	Hook Style	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
5483000*	Single Piece	2" x 30'	Double J	3,300	10,000	548 (N)
5483000CC*	Full Cut Case (4 pieces per case)					

25 Foot Camo Strap, Double J Hooks

- Steel components are black e-coated or zinc-plated for corrosion resistance



Part No.	Description	Size	Hook Style	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
5483010*	Single Piece	2" x 25'	Double J	3,300	10,000	548 (N)
5483010CC*	Full Cut Case (4 pieces per case)					

* **NEW** PRODUCTS

AXLE STRAPS

- Make it easy to haul a car, UTV, ATV, or other equipment up to 3300 lb.
- Heavy duty polyester with a black sleeve to protect against abrasion
- Flat stamped D-Rings on both ends provide an easy attachment point for grab hooks, ratchet straps, and come-alongs
- Straps sold in pairs



3 Foot Yellow Strap, Flat Stamped D-Rings



Part No.	Description	Size	Hook Style	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
5483600*	Comes in Pairs	3'	Flat Stamped D-Rings	3,300	10,000	548 (N)
5483600CC*	Full Cut Case (3 pairs per case)					




5483005 shown

Commercial Duty


WINCH STRAPS & ACCESSORIES

- Helps tension spread out across entire load
- Provides a controlled motion in increments
- Tighten and release with reduced effort



4 in. Yellow Winch Strap

- Zinc-plated hooks for corrosion resistance



Part No.	Size	Hook Style	Pack Qty.	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
1903070	4" x 27'	Flat	1	5,000	15,000	548 (N)
1903085	4" x 30'	Flat	1	5,000	15,000	548 (N)

4 in. Bolt-On Winch


- Easy to mount, bolt-on design
- Black powder-coated for corrosion resistance



Part No.	For Use with Strap Width	Mounting Style	W.L.L. (lbs.)	Cat.
1903020	4"	Bolt-On	5,500	548 (N)

4 in. Weld-On Winches, Right and Left Hand

- Weld-on design provides a sturdy, permanent solution for securing your cargo
- Black powder-coated for corrosion resistance




Part No.	Operation	For Use with Strap Width	Mounting Style	W.L.L. (lbs.)	Cat.
1903005	Right Hand	4"	Weld-On	5,500	548 (N)
1903005LH	Left Hand	4"	Weld-On	5,500	548 (N)

1903005 is for right hand operation and 1903005LH is for left hand operation

2 in. Bolt-On/Weld-On Winch

- Easy tension control with pry bar or hex drive.
- Easily welds or bolts to your truck or trailer.
- Black powder-coated for corrosion resistance



Part No.	For Use with Strap Width	Mounting Style	W.L.L. (lbs.)	Cat.
5482100	2"	Weld-On or Bolt-On	3,300	548 (N)

4 in. Sliding Trailer Winches

- Easy to position for optimal load securing.
- Works with standard sliding winch tracks for easy installation.
- Black powder-coated for corrosion resistance





Part No.	For Use with Strap Width	Pocket Size	Mounting Style	W.L.L. (lbs.)	Cat.
1903030	4"	Regular	Sliding	6,000	548 (N)
1903035	4"	Deep	Sliding	6,000	548 (N)

Part No.	Description	Length	Material	Finish	Cat.
1903040	Sliding Winch Track	72"	Carbon Steel	Plain	548 (N)

Winch Bars


- Use with a steel trailer winch.



Part No.	Length	Finish	Material	Cat.
1903060	35"	Powder Coat	Steel	548 (N)
1903065	40"	Powder Coat	Steel	548 (N)
1903066	40"	Chrome	Steel	548 (N)


Heavy Duty

Heavy Duty tie downs are manufactured to handle loads up to 1000 lbs. Great for use on heavier loads like ATVs, UTVs, and heavy equipment.



RATCHET STRAPS

- Wide handle designs provide a comfortable grip and additional control
- Ratchet mechanism allows for precise tension adjustments to secure all loads
- Vinyl coated steel s-hooks help secure cargo and protect from dings and scratches



14 Foot Black Strap, Cast Aluminum Handle, 4 Pack

- Steel components are zinc-plated for corrosion resistance



Part No.	Size	Hook Style	Pack Qty.	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
5483115*	1" x 14'	Secure	4	1,000	3,000	548 (N)

14 Foot Black Strap, Rubber Through Handle, 4 Pack

- Steel components are zinc-plated for corrosion resistance



Part No.	Size	Hook Style	Pack Qty.	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
5483100*	1" x 14'	Secure	4	1,000	3,000	548 (N)

14 Foot Camo Strap, Rubber Through Handle, 2 Pack

- Steel components are black e-coated or zinc-plated for corrosion resistance



Part No.	Size	Hook Style	Pack Qty.	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
5483110*	1" x 14'	Secure	2	1,000	3,000	548 (N)

* **NEW** PRODUCTS

10 Foot Retractable Black Strap, Rubber Grip Handle

- Strap easily retracts for tangle-free storage.
- Steel components are zinc-plated for corrosion resistance.




Part No.	Description	Size	Hook Style	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
5483105*	Single Piece	2" x 10'	Coated	1,000	3,000	548 (N)
5483105CC*	Full Cut Case (4 pieces per case)					




5483110 shown

Standard Duty

Standard Duty tie downs are designed and manufactured to hold loads up to 600 lbs. Great for use with small equipment, mowers, ATVs, and more on a pickup truck or trailer. A hassle-free solution for securing your equipment.



RATCHET STRAPS



10 Foot Blue Strap, Rubber Through Handle, 4 Pack

- Steel components are zinc-plated for corrosion resistance
- Wide handle designs provide a comfortable grip and additional control
- Ratchet mechanism allows for precise tension adjustments to secure all loads
- Vinyl coated steel s-hooks with keeper help secure cargo and protect from dings and scratches



Part No.	Size	Hook Style	Pack Qty.	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
5483205*	1" x 10'	Secure	4	600	1,800	548 (N)

10 Foot Camo Strap, Rubber Through Handle, 4 Pack

- Steel components are black e-coated or zinc-plated for corrosion resistance
- Wide handle designs provide a comfortable grip and additional control
- Ratchet mechanism allows for precise tension adjustments to secure all loads
- Vinyl coated steel s-hooks with keeper help secure cargo and protect from dings and scratches



Part No.	Size	Hook Style	Pack Qty.	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
5483210*	1" x 10'	Secure	4	600	1,800	548 (N)

12 Foot Blue Strap, Paddle Handle Grip, 4 Pack

- Steel components are zinc-plated for corrosion resistance
- Ratchet mechanism allows for precise tension adjustments to secure all loads
- Vinyl coated steel s-hooks help secure cargo and protect from dings and scratches




Part No.	Size	Hook Style	Pack Qty.	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
5483215*	1" x 12'	Coated	4	600	1,800	548 (N)

* **NEW** PRODUCTS

6 Foot Retractable Blue Strap, Paddle Handle Grip, 2 Pack

- Steel components are zinc-plated for corrosion resistance
- Ratchet automatically retracts for tangle-free storage when not in use
- Ratchet mechanism allows for precise tension adjustments to secure all loads
- Vinyl coated steel s-hooks help secure cargo and protect from dings and scratches



Part No.	Size	Hook Style	Pack Qty.	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
5483220*	1" x 6'	Coated	2	500	1,600	548 (N)

12 Foot Retractable Blue Strap, Endless Tie Down (No Hooks)

- Ideal for bundling or banding items together for transport. Great for wood, pipes, hoses, and more
- Steel components are zinc-plated for corrosion resistance



Part No.	Description	Size	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
5483200*	Single Piece	1" x 12'	600	1,800	548 (N)
5483200CC*	Full Cut Case (6 pieces per case)				



5483200 shown


Light Duty

Light Duty tie downs let you secure you secure lighter weight items such as a tiller, job box, generator, or other light weight equipment. They make it easier for you to get your equipment securely to the job site.



RATCHET STRAPS

- Ideal for securing lighter cargo
- Ratchet mechanism gives you precise control over tension
- Secure loads of all shapes and sizes without damaging your cargo
- Vinyl coated steel S-hooks protect from scratches and dings
- Hook easily attaches to anchoring hardware



10 Foot Red Strap, Paddle Handle Grip, 4 Pack

- Steel components are zinc-plated for corrosion resistance.




Part No.	Size	Hook Style	Pack Qty.	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
5483300*	1" x 10'	Coated	4	300	900	548 (N)

* **NEW** PRODUCTS



CAMBUCKLE STRAPS

- Ideal for securing lighter cargo
- Adjust strap tension by pressing down on the cambuckle and pulling the webbing tight
- Vinyl coated steel S-hooks protect from scratches and dings
- Hook easily attaches to anchoring hardware



10 Foot Red Strap, Quick Thumb Release, 4 Pack

- Steel components are zinc-plated for corrosion resistance.




Part No.	Size	Hook Style	Pack Qty.	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
5483305*	1" x 10'	Coated	4	300	900	548 (N)

RUBBER TARP STRAPS

Straps and S-Hooks

- High strength and tear resistance
- Zinc plated S-Hooks sold separately



* S-Hooks Sold Separately

Part No.	Length	Material	Qty. Per Carton	Cat.
TS9	9"	Rubber	100	350 (Y)
TS15	15"	Rubber	100	350 (Y)
TS20	20"	Rubber	100	350 (Y)
TS31	31"	Rubber	50	350 (Y)
TS41	41"	Rubber	50	350 (Y)


Part No.	Diameter	Material	Qty. Per Carton	Cat.
9225	0.180"	Zinc Plated	100	350 (Y)



5483305 shown


Recovery

Recovery products are designed to free stuck automobiles, UTVs, ATVs or tractors from mud, sand or snow.



RECOVERY STRAPS

- High visibility, strong webbing
- Loop ends provide faster and easier attachment
- Drawstring bag included for convenient storage



20 Foot Yellow Strap, Reinforced Loops



Part No.	Size	Hook Style	Pack Qty.	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
5483500*	2" x 20'	Loops	1	6,000	18,000	548 (N)

12 Foot Yellow Strap, for the Recovery of ATVs and UTVs

- Includes zinc-plated steel shackle for easy and secure hook-ups.



Part No.	Size	Hook Style	Pack Qty.	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
5483505*	2" x 12'	Shackle/Loops	1	2,000	6,000	548 (N)

* **NEW** PRODUCTS



5483500 Shown

RECEIVER MOUNTED RECOVERY

2 in. One-Piece Forged Receiver Mounted Tow Hook and Eye

- Tough forged steel construction
- Corrosion-resistant black powder-coated finish



Part No.	Description	W.L.L. (lbs.)	Cat.
RM12H	Forged Receiver Mount Tow Hook	12,000	528 (N)
RM1225E	Forged Receiver Mount Tow Eye	12,000	528 (N)

Receiver Anchor Shackles, Black

- Receiver hitch mount for recovery towing purposes
- Available for 2 in., 2-1/2 in., and 3 in. receiver tubes



Part No.	Description	Finish	Fits Receiver Size	Hook Style	Straight Pull Line (lbs.)	Cat.
1804020*	Single Piece	Black	2"	Shackle	10,000	548 (N)
1804025*	Single Piece	Black	2-1/2"	Shackle	13,000	548 (N)
1804040*	Single Piece	Black	3"	Shackle	18,000	548 (N)

Standalone Shackle, Galvanized

- Attach chains to D-rings without a hook
- Includes sturdy screw pin to hold chain in place



Part No.	Description	Finish	Hook Style	Straight Pull Line (lbs.)	Cat.
5480375	Single Piece	Galvanized	Shackle	2,000	548 (N)

2 in. Receiver Mounted Tow Hook

- Corrosion-resistant black powder-coated finish



Part No.	Description	W.L.L. (lbs.)	Cat.
RM10H	Receiver Mount Tow Hook	10,000	528 (N)

E-Track

E-Track is a versatile, easy-to-install system to help organize your trailer to fit your needs. The tracks can be used with a variety of e-track accessories. Easily move items along track to reorganize as needed to satisfy your specific job needs.

Application



All E-Track accessories are compatible with the Ford® Boxlink™ System

E-TRACK RAILS

- Convenient tie down points for securing cargo
- Ideal for wall or floor mounting

Steel

- Corrosion resistant gunmetal grey powder-coated finish

1903050



Part No.	Length	Material	Finish	Pre-Drilled Holes	Cat.
1903050	10'	Steel	Powder Coated	Yes	520 (N)
1903055	5'	Steel	Powder Coated	Yes	520 (N)
1903052	2'	Steel	Powder Coated	Yes	520 (N)

Aluminum

1903110



Part No.	Length	Material	Pre-Drilled Holes	Cat.
1903110	10'	Aluminum	No	520 (N)

E-TRACK STRAPS

- The perfect addition to E-track systems to secure cargo effortlessly
- 2 in. wide ratchet straps
- Easy to use, simply snaps into track providing a secure anchor

Yellow Ratchet Strap, Through Handle

- Zinc plated for corrosion resistance

01075





Part No.	Size	Hook Type	Pack Qty.	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
01075	2" x 12'	E-Track	1	1,467	4,400	520 (N)
01076	2" x 16'	E-Track	1	1,467	4,400	520 (N)
01077	2" x 20'	E-Track	1	1,467	4,400	520 (N)

E-TRACK STRAPS, CONTINUED

Yellow Cambuckle Strap, Quick Thumb Release

- The cambuckle makes it easy to adjust tension and strap length to ensure a snug fit against your cargo



Part No.	Size	Hook Type	Pack Qty.	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
01070	2" x 12'	E-Track	1	915	2,745	520 (N)

10 Foot Retractable Black Strap, Rubber Grip Handle

- Strap easily retracts for tangle-free storage




Part No.	Size	Hook Type	Pack Qty.	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
5480011	2" x 10'	E-Track	1	1,000	3,000	520 (N)

E-TRACK ACCESSORIES

- Provide solutions for convenient and secure transportation of your cargo
- Ideal for wall mounting

Rope Ring Strap

- The D-ring provides an ideal anchor point for tie downs, ropes, or cords.
- Zinc plated for corrosion resistance



Part No.	Size	Hook Type	Pack Qty.	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
01080	6"	E-Track	1	1,000	3,000	520 (N)

* E-Track sold separately

Rope Ring

- Provides a secure and easy attachment point for tie downs
- Zinc plated for corrosion resistance
- Heavy duty steel construction



Part No.	Size (I.D.)	Hook Type	Pack Qty.	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
01090	1-5/16"	E-Track	1	2,000	6,000	520 (N)


* E-Track sold separately

E-Track

E-TRACK ACCESSORIES, CONTINUED

Square J-Hook

- The hook is 3/8 in. thick with an internal width of 2 in.
- Corrosion resistant white powder-coated finish
- Heavy duty steel construction




* E-Track sold separately

Part No.	Description	Cat.
01130	E-Track Square J-Hook	520 (N)

Curved J-Hook

- The hook is 1/2 in. thick with an internal width of 4-1/4 in.
- Corrosion resistant white powder-coated finish
- Heavy duty steel construction




* E-Track sold separately

Part No.	Description	Cat.
01120	E-Track Curved J-Hook	520 (N)

Board Holder

- Holds 2 x 4 in. and 2 x 6 in. lumber to create wood partitions
- Bolt holes provided for additional security
- Corrosion resistant zinc plated steel construction




* E-Track sold separately

Part No.	Description	Cat.
01100	E-Track Board Holder	520 (N)

Spare Tire Carrier

- 7 in. Long, zinc plated steel
- Secures spare tire to wall




* E-Track sold separately

Part No.	Description	Cat.
5201030*	E-Track Spare Tire Carrier	520 (N)

SUPER TRACK

- Adjustable ring placement gives you maximum flexibility in locating tie down points
- Ideal for pickups, vans and enclosed trailers
- Eight anchor rings included
- Made of durable anodized extruded aluminum
- ST93 Includes four 46-1/2 in. anodized extruded aluminum tracks and eight rings

46.5 in. Aluminum



Part No.	Length	Material	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
ST93	46.5"	Aluminum	400	-	520 (N)
LR1	1" I.D.	Aluminum	1,000	3,000	520 (N)




01075 shown


Stake Pocket D-Rings

STAKE POCKET D-RINGS

- Fits common flush and outside stake pockets
- Provides convenient D-Ring tie down where needed
- Includes 1/2 in. hitch pin with cotter
- D-Rings not approved for overhead use




1/2 in. Forged D-Ring



Part No.	Finish	Ring Diameter	I.D. Height	I.D. Width	Cat.
B38SP	Black Powder Coat	0.5"	2.11"	2.375"	524 (N)


3/8 in. Forged D-Ring



Part No.	Finish	Ring Diameter	I.D. Height	I.D. Width	Cat.
B28SP	Black Powder Coat	0.375"	2"	2.5"	524 (N)
B28SPZ	Zinc	0.375"	2"	2.5"	524 (N)



3/8 in. Forged D-Ring



Part No.	Finish	Ring Diameter	I.D. Height	I.D. Width	Cat.
B32SP	Black Powder Coat	0.375"	1.5"	1.44"	524 (N)
B32SPZ	Zinc	0.375"	1.5"	1.44"	524 (N)



1 IN. D-RINGS

1 in. Forged D-Rings, Weld-On Bracket

- Forged from C-1045 steel for durability
- **Working Load Limit:** 15,586 lb.
- **Break Strength:** 46,758 lb.
- *Not approved or intended for overhead use*



Part No.	Description	Ring Dia.	I.D. (H x W)	Cat.
B48	Domestically Forged with Weld-On Mounting Bracket	1"	3" x 3"	524 (N)
B481	Forged with Weld-On Mounting Bracket	1"	3" x 3"	524 (N)




Part No.	Description	Ring Dia.	I.D. (H x W)	Cat.
B50	Domestically Forged with Weld-On Mounting Bracket	1"	4" x 3"	524 (N)
B501	Forged with Weld-On Mounting Bracket	1"	4" x 3"	524 (N)
02055	B50 in Retail Clamshell Package	1"	4" x 3"	524 (N)



Part No.	Description	Ring Dia.	I.D. (H x W)	Cat.
B5055	Domestically Forged with Weld-On Mounting Bracket	1"	3.5" x 3"	524 (N)
B50551	Forged with Weld-On Mounting Bracket	1"	3.5" x 3"	524 (N)

1 in. Forged D-Ring, Rotating Bracket

- Rotates to give you a variety of optimum strapping angles
- Strong forged steel construction
- *Not approved or intended for overhead use*



Part No.	Ring Dia.	I.D. (H x W)	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
B51	1"	4" x 3"	15,586	46,758	524 (N)
B52	1"	3.5" x 3"	15,586	46,758	524 (N)

Forged D-Rings

3/4 IN. D-RINGS

3/4 in. Forged D-Rings, Weld-On Bracket

- Forged from C-1045 steel for durability
- **Working Load Limit:** 9,120 lb.
- **Break Strength:** 27,360 lb.
- *Not approved or intended for overhead use*




Part No.	Description	Ring Dia.	I.D. (H x W)	Cat.
B46	Domestically Forged with Weld-On Mounting Bracket	.75"	3" x 3"	524 (N)
B46I	Forged with Weld-On Mounting Bracket	.75"	3" x 3"	524 (N)

5/8 IN. D-RINGS

5/8 in. Forged D-Rings, Weld-On Bracket


- Strong AISI-1025 steel construction
- **Working Load Limit:** 6,130 lb.
- **Break Strength:** 18,390 lb.
- *Not approved or intended for overhead use*



Part No.	Description	Ring Dia.	I.D. (H x W)	Cat.
B40	Domestically Forged with Weld-On Mounting Bracket	.625"	3" x 3"	524 (N)
B40I	Forged with Weld-On Mounting Bracket	.625"	3" x 3"	524 (N)
02050	B40 in Retail Clamshell Package	.625"	3" x 3"	524 (N)

5/8 in. Forged D-Ring, 6 in. Bolt-On Plate

- Strong forged steel construction
- Four-bolt plate helps spread "pull" force to multiple anchor points
- Versatile uses across many applications
- *Not approved or intended for overhead use*



Part No.	Description	Ring Dia.	I.D. (H x W)	Cat.
B40MP	Bolt-On 5/8 Inch Forged D-Ring on 6 Inch Square Plate	.625"	3" x 3"	524 (N)



B50 shown

1/2 IN. D-RINGS

1/2 in. Forged D-Rings, Weld-On Bracket


- Forged from C-1045 steel for durability
- **Working Load Limit:** 4,080 lb.
- **Break Strength:** 12,240 lb.
- *Not approved or intended for overhead use*



Part No.	Description	Ring Dia.	I.D. (H x W)	Cat.
B38W	Domestically Forged with Weld-On Mounting Bracket	.5"	2.5" x 2.375"	524 (N)
B38IW	Forged with Weld-On Mounting Bracket	.5"	2.5" x 2.375"	524 (N)

1/2 in. Extended Forged D-Rings, Weld-On Bracket


- Elongated profile can accommodate bulky hooks and chains
- Forged from C-1045 steel for durability
- **Working Load Limit:** 4,080 lb.
- **Break Strength:** 12,240 lb.
- *Not approved or intended for overhead use*



Part No.	Description	Ring Dia.	I.D. (H x W)	Cat.
B39W	Forged with Weld-On Mounting Bracket	.5"	4.5" x 2.5"	524 (N)

1/2 in. Forged D-Rings, Bolt-On Bracket


- Forged from C-1045 steel for durability
- **Working Load Limit:** 4,080 lb.
- **Break Strength:** 12,240 lb.
- *Not approved or intended for overhead use*



Part No.	Description	Ring Dia.	I.D. (H x W)	Cat.
B38	Domestically Forged with 2-Hole Mounting Bracket	.5"	2.5" x 2.375"	524 (N)
B38I	Forged with 2-Hole Mounting Bracket	.5"	2.5" x 2.375"	524 (N)




Part No.	Description	Ring Dia.	I.D. (H x W)	Cat.
B38ZW	Forged with 2-Hole Mounting Bracket - White Zinc Plated	.5"	2.5" x 2.375"	524 (N)
B38ZY	Forged with 2-Hole Mounting Bracket - Yellow Zinc Plated	.5"	2.5" x 2.375"	524 (N)
02040	B38ZY in Retail Clamshell Package	.5"	2.5" x 2.375"	524 (N)



Part No.	Description	Ring Dia.	I.D. (H x W)	Cat.
B38S	Forged with Single Hole Mounting Bracket, Black	.5"	2.5" x 2.375"	524 (N)

Rope Rings


Rope rings are an easy way to add mounted anchor points to your trailers, vans, or trucks. Choose the style that works best for your application. Recessed options allow rope rings to lay flush when not in use.



RECESSED MOUNTED

Bolt-On 1/2" Forged D-Ring With Recessed Pan Mount


- Forged from C-1045 steel for durability
- Recessed pan mount makes for sturdy hold
- D-rings are not approved for overhead use



Part No.	Ring Dia.	Size (H x W)	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
B38RP	.5"	6.1" x 6.1"	4,080	12,240	524 (N)

Heavy Duty Recessed Rotating Rope Ring


- Rotates up to 360° for optimum maneuverability
- Designed for heavy duty exterior use with a corrosion-resistant zinc-plated finish
- Floor mount or install on steel cross members
- Rope rings are not approved for lifting




Part No.	Size (H x W)	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
B901	6.38" x 6.38"	2,000	6,000	524 (N)

Heavy Duty Recessed Rope Ring

- Heavy duty ductile iron construction for exterior use
- A variety of available finishes
- Not approved for lifting




Part No.	Description	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
B801	Recessed Rope Ring with Non-Plated Weldable Bracket	2,000	6,000	524 (N)
B801A	Recessed Rope Ring Zinc Plated	2,000	6,000	524 (N)
B801AK	Recessed Rope Ring Kit - Includes B801A, Back Plate, and Mounting Hardware	2,000	6,000	524 (N)




Recessed Rope Ring with Rotating Ring

- Corrosion-resistant yellow zinc-plated finish
- Rotating ring
- Not approved for lifting




B704




Part No.	Ring Dia.	Size (H x W)	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
B704	.25"	3.5" x 3.5"	600	1,800	524 (N)

Recessed Rope Ring

- Light capacity ring holds tools in place
- Recessed plate stays secure with two bolts
- Ideal for vans and enclosed trailer interiors
- Not approved for lifting



B601



Part No.	Description	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
B601	Recessed Rope Ring with Countersunk Holes	285	855	524 (N)
B601U	Recessed Rope Ring with Holes (NOT Countersunk)	265	795	524 (N)




B801A shown

Rope Rings

WELD-ON

Heavy Duty Weld-On Rope Ring

- Weld-on bracket lets you place ring where you need it
- Corrosion-resistant zinc plating
- Not approved for lifting




Part No.	Ring Dia.	I.D. (H x W)	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
B28F	.375"	1.94" x 2.56"	2,000	6,000	524 (N)

ROPE RINGS WITH BRACKET

Heavy Duty Rope Ring with Bracket



- 3/8 in. diameter forged rope ring
- Sturdy zinc-plated forged steel construction
- Not approved for lifting



Part No.	Ring Dia.	I.D. (H x W)	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
B32F	.375"	1.5" x 1.44"	2,000	6,000	524 (N)

Rope Ring with Two Hole Bracket

- Strong formed steel clamp
- Corrosion-resistant zinc finish
- Not approved for lifting



Part No.	Description	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
B20	.25" Rope Ring with 2-Hole Mounting Bracket	800	2,400	524 (N)
02005	B20 in Retail Clamshell Package	800	2,400	524 (N)

Ratcheting Load Binders

- Double-acting, ratchet-style load binders
- Corrosion-resistant red powder-coated finish
- Tough forged hooks and cast steel handle



Part No.	Description	W.L.L. (lbs.)	Break Strength (lbs.)	Cat.
RLB5638	5/16" - 3/8" Ratcheting Load Binder	6,600	23,100	548 (N)
RLB3812	3/8" - 1/2" Ratcheting Load Binder	9,200	33,000	548 (N)

Forged Load Binders

- 5,400 lb working load limit* when paired with 3/8 in. grade 43 chain
- 4,700 lb working load limit* when paired with 5/16 in. grade 70 chain
- Heavy duty cinching power
- Durable, corrosion-resistant red powder-coated finish



Part No.	Description	W.L.L.* (lbs.)	Break Strength (lbs.)	Cat.
LB5638	5/16" - 3/8" Forged Load Binder	4,700/ 5,400	19,000	548 (N)



Ties, Clamps, Hand Winch

TIES

17" Foam Quick Tie

- Foam covering prevents scratching
- Strong, high density steel core keeps its shape
- Easy to use, -No knots or hooks needed
- Ideal for use in all temperatures
- Reuseable



Part No.	Description	Cat.
5480417	17" Foam Quick Tie	548 (N)

CLAMPS

Rubber Clamps

- Keeps your van or work vehicle clutter free
- Adjustable rubber straps secure a variety of items



Part No.	Description	Hold Min. Dia.	Hold Max. Dia.	Cat.
RC10S	Small Rubber Clamps	1"	2.25"	520 (N)
RC10L	Large Rubber Clamps	2.5"	9.5"	520 (N)
RC8M	Mini Rubber Clamp	0.63"	1.38"	520 (N)



HAND WINCH

800 lb. Hand Winch

- Ideal for horizontal pulling applications with a gear ratio of 4, 4:1
- 7 in. long handle for comfortable operation
- High carbon steel gears resist wear
- Hook is zinc plated for corrosion resistance



Part No.	Nylon Strap Size	Capacity	Gear Ratio	Cat.
HW800S	1-1/2" x 26'	800 lbs.	4.4:1	548 (N)

2 Foot Section



2 Foot with Free Standing Display



2 Foot Section Includes:

	Part No.	Description	Case Qty.
Top Row	5483305	1" x 10' Cambuckle - 300 lbs., 4 pack	3
	5483300	1" x 10' Ratchet - 300 lbs., 4 pack	3
Second Row	5483205	1" X 10' Ratchet, Thru-Handle - 600 lbs., 4 pack	3
Row	5483215	1" x 12' Padded Handle Ratchet - 600 lbs., 4 pack	3
Third Row	5483100	1" x 14' Ratchet, 4 pack	3
Row	5483115	1" x 14' Cast Aluminum Ratchet, 4 pack	3
	5483600CC	36" Axle Strap, 2 Pk	3
Fourth Row	5483500	2" x 20' Tow Strap with Loops 6000 lbs.	3
	1804025	Anchor Shackle Receiver Hitch 2-1/2"	2
Bottom Row	5483000CC	2" x 30' Ratchet - Double J Bulk	4
	5483005CC	2" x 30' Ratchet - Flat Hooks	4

Part No.	Description
99230	2 Foot Planogram with Free Standing Display and Included Part Numbers and Case Quantites Above

3 Foot Section



3 Foot Section Includes:

	Part No.	Description	Case Qty.
Top Row	5483305	1" x 10' Cambuckle - 300 lbs., 4 pack	3
	5483300	1" x 10' Ratchet - 300 lbs., 4 pack	3
	5483220	1" x 6' Retractable Ratchet - 500 lbs., 2 pack	3
	5483200CC	1" x 12' Endless Ratchet - 600 lbs. - Bulk	6
Second Row	5483205	1" X 10' Ratchet, Thru-Handle - 600 lbs., 4 pack	3
	5483210	1" X 10' Ratchet, Thru-Handle, Camo - 600 lbs., 4 pack	3
	5483215	1" x 12' Padded Handle Ratchet - 600 lbs., 4 pack	3
Third Row	5483100	1" x 14' Ratchet, 4 pack	3
	5483115	1" x 14' Cast Aluminum Ratchet, 4 pack	3
	5483105CC	2" x 10' Retractable Ratchet, 1000 lbs. Bulk	4
Fourth Row	5483600CC	36" Axle Strap - 2 Pk	3
	5483505	2" x 12' Tow Strap with Loops and Anchor Shackle - UTV/ATV 2000 lbs.	3
	5483500	2" x 20' Tow Strap with Loops 6000 lbs.	3
	1804020	Anchor Shackle Receiver Hitch 2"	2
	180402	Anchor Shackle Receiver Hitch 2-1/2"	2
Bottom Row	5483010CC	2" x 25' Ratchet - Double J Bulk - Camo	4
	5483000CC	2" x 30' Ratchet - Double J Bulk	4
	5483005CC	2" x 30' Ratchet - Flat Hooks	4

4 Foot Section



4 Foot Section Includes:

	Part No.	Description	Case Qty.
Top Row	5483305	1" x 10' Cambuckle - 300 lbs., 4 pack	3
	5483300	1" x 10' Ratchet - 300 lbs., 4 pack	3
	5483205	1" X 10' Ratchet, Thru-Handle - 600 lbs., 4 pack	3
	5483215	1" x 12' Padded Handle Ratchet - 600 lbs. - 4 pack	3
Second Row	5483210	1" X 10' Ratchet, Thru-Handle, Camo - 600 lbs., 4 pack	3
	5483110	1" X 14' Ratchet, 2 pack (1000 lbs.) - Camo	3
	5483100	1" x 14' Ratchet, 4 pack	3
	5483115	1" x 14' Cast Aluminum Ratchet, 4 pack	3
	1804020	Anchor Shackle Receiver Hitch 2"	2
	1804025	Anchor Shackle Receiver Hitch 2-1/2"	2
Third Row	1804040	Anchor Shackle Receiver Hitch 3"	2
	5483105CC	2" x 10' Retractable Ratchet - 1000 lbs., Bulk	4
	5483600CC	36" Axle Strap - 2 pack	3
	5483505	2" x 12' Tow Strap with Loops and anchor Shackle - UTV/ATV 2000 lbs.	3
Bottom Row	5483010CC	2" x 25' Ratchet - Double J Bulk - Camo	4
	5483000CC	2" x 30' Ratchet - Double J Bulk	4
	5483005CC	2" x 30' Ratchet - Flat Hooks	4
	5483500	2" x 20' Tow Strap with Loops 6000 lbs.	3

The Buyers family of manufacturing companies

Tracom

B **Boomerang**
RUBBER, INC.

Romotech
Rotational Molding Technologies, Inc.

P **PROGRESSIVE**
POWDER COATING, INC.



www.buyersproducts.com

Buyers
PRODUCTS COMPANY 

SnowDogg 
by Buyers

SaltDogg 
by Buyers

ScoopDogg 
by Buyers

DumperDogg 
by Buyers

LITCARGOCONTROL_B