



**ScoopDogg**  
by **Buyers**

# **SCOOPDOGG<sup>®</sup>** **SNOW PUSHERS**



***NOTHING WORKS LIKE A DOGG<sup>™</sup>***

# Snow Pusher Specifications

## SKID-STEER SERIES PUSHERS



Skid-Steer (pg. 4-5)			
Specifications	2603108	2603110	2603112
Width	8'	10'	12'
Blade Height	39"	39"	39"
Depth	37"	37"	37"
Moldboard Gauge	7 Ga	7 Ga	7 Ga
Moldboard Material	Carbon Steel	Carbon Steel	Carbon Steel
Shoes Material	AR400 Steel	AR400 Steel	AR400 Steel
Side Plate Thickness	5/16"	5/16"	5/16"
Side Plate Support	3" x 3" x 1/4"	3" x 3" x 1/4"	3" x 3" x 1/4"
Cutting Edge	1" x 6"	1" x 6"	1" x 6"
Friction Surface Thickness	3/4"	3/4"	3/4"
Minimum Horsepower	46	70	85
Minimum Machine Weight	5,500 lb	7,000 lb	10,000 lb
Weight	950 lb	1,125 lb	1,250 lb

Back Drag Kits			
Specifications	9153008	9153010	-
Width	8' (For use with 2603108)	10' (For use with 2603110)	-
Weight	313 lb	366 lb	-

## COMPACT SERIES PUSHERS



Compact Tractor (pg. 4-5)			
Specifications	2604106	2604108	2604110
Width	6'	8'	10'
Blade Height	28"	28"	28"
Depth	31"	31"	31"
Moldboard Gauge	10 Ga	10 Ga	10 Ga
Moldboard Material	Carbon Steel	Carbon Steel	Carbon Steel
Shoes Material	AR400 Steel	AR400 Steel	AR400 Steel
Side Plate Thickness	1/4"	1/4"	1/4"
Side Plate Support	2" x 2" x 1/4"	2" x 2" x 1/4"	2" x 2" x 1/4"
Cutting Edge	1" x 6"	1" x 6"	1" x 6"
Friction Surface Thickness	3/4"	3/4"	3/4"
Minimum Horsepower	30	40	50
Minimum Machine Weight	2,500 lb	3,500 lb	4,500 lb
Weight	400 lb	500 lb	600 lb

# LOADER SERIES PUSHERS



Loader (pg. 6-7)

Specifications	2601112	2601114	2601116	2601118	2601120
Width	12'	14'	16'	18'	20'
Blade Height	47"	47"	47"	47"	47"
Depth	63"	63"	63"	63"	63"
Moldboard Gauge	7 Ga	7 Ga	7 Ga	7 Ga	7 Ga
Moldboard Material	Carbon Steel	Carbon Steel	Carbon Steel	Carbon Steel	Carbon Steel
Shoes Material	AR400 Steel	AR400 Steel	AR400 Steel	AR400 Steel	AR400 Steel
Side Plate Thickness	3/8"	3/8"	3/8"	3/8"	3/8"
Side Plate Support	4" x 4" x 3/8"	4" x 4" x 3/8"	4" x 4" x 3/8"	4" x 4" x 3/8"	4" x 4" x 3/8"
Cutting Edge	1-1/2" 10"	1-1/2" 10"	1-1/2" 10"	1-1/2" 10"	1-1/2" 10"
Friction Surface Thickness	1"	1"	1"	1"	1"
Minimum Horsepower	100	120	125	140	170
Minimum Machine Weight	13,000 lb	16,000 lb	25,000 lb	30,000 lb	40,000 lb
Weight	2,200 lb	2,400 lb	2,600 lb	3,000 lb	3,600 lb

# BACKHOE SERIES PUSHERS



Backhoe (pg. 8-9)

Specifications	2602110	2602112	2602114
Width	10'	12'	14'
Blade Height	39"	39"	39"
Depth	51"	51"	51"
Moldboard Gauge	7 Ga	7 Ga	7 Ga
Moldboard Material	Carbon Steel	Carbon Steel	Carbon Steel
Shoes Material	AR400 Steel	AR400 Steel	AR400 Steel
Side Plate Thickness	3/8"	3/8"	3/8"
Side Plate Support	4" x 4" x 3/8"	4" x 4" x 3/8"	4" x 4" x 3/8"
Cutting Edge	1-1/2" 10"	1-1/2" 10"	1-1/2" 10"
Friction Surface Thickness	3/4"	3/4"	3/4"
Minimum Horsepower	50	70	85
Minimum Machine Weight	12,000 lb	15,000 lb	16,000 lb
Weight	1,125 lb	1,450 lb	1,600 lb

## TUFF-KOTE™

MORE THAN DOUBLE THE LIFE OF YOUR PLOW

### SANDBLAST

Remove all impurities and contaminants

### PRIME

Seal and fill any inconsistencies in the material

### TOP COAT

Acts as an additional primer and prepares the surface for the final treatment

### SUPER DURABLE

### POLYESTER POWDERCOAT

Protects your plow from the elements for years to come



# SKID-STEER / COMPACT SERIES PUSHERS

Minimum Required Machine Weight of 5,500 lb / 2,500 lb

Minimum Required Horsepower of 46 HP / 30 HP

## STANDARD FEATURES

### Durable Tuff-Kote™ Finish

Corrosion resistant powder coat doubles the life of your pusher.

### Dual 4" Channels

Durable support where it's needed most.

### AR400 Wear Shoes

Abrasion resistant steel provides superior wear life.

### Universal Quick-Coupler Attachment

Versatile and easy attachment and removal.

### Heavy Precision-Rolled Moldboard

Enhanced snow rolling for a better quality push.

## SKID-STEER SERIES SPECIFIC FEATURES

### Premium Rubber Compound Cutting Edge

1" x 8" cutting edge slices through snow and ice.

### Extreme-Duty Wear Shoes

5" x 3/4" wear shoes are made of abrasion resistant steel for far greater wear life.

## COMPACT SERIES SPECIFIC FEATURES

### Premium Rubber Compound Cutting Edge

1" x 6" cutting edge slices through snow and ice.

### Extreme-Duty Wear Shoes

3" x 3/4" wear shoes are made of abrasion resistant steel for far greater wear life.




Available Sizes  
8', 10', 12'

Available Sizes  
6', 8', 10'





## SKID-STEER SERIES SPECIFIC FEATURES



### **Optional Back Drag Kits**

Include a 1" x 6" rubber cutting edge mounted to a black powder coat steel frame & a set of 3/4" thick abrasion resistant steel wear shoes. Used to pull snow away from buildings, docks and other tight places. The kit is bolt-on & removable.



**7 Ga Rolled Steel Moldboard**  
with 5/16" thick side plates

## COMPACT SERIES SPECIFIC FEATURES



### **Rubber Edge**

3/8" x 3" rubber edge mounting bracket, 1" x 6" premium rubber edge, 5/8-11, grade 5 carriage bolts



**10 Ga Rolled Steel Moldboard**  
with 1/4" thick side plates

# LOADER SERIES PUSHERS

Minimum Required Machine Weight of 13,000 lb

Minimum Required Horsepower of 100 HP

## STANDARD FEATURES

### Durable Tuff-Kote™ Finish

Corrosion resistant powder coat doubles the life of your pusher.

### Extreme Duty 12" H-Beam Design

Dependable strength where it's needed most.

### Inside Posts with 3/8" Side Plates

Protect the equipment from impact damage.

### Fully-Welded Lower Posts

Keeps the post higher off the ground to prevent damage from roll back.

### AR400 Wear Shoes

Abrasion resistant steel provides superior wear life.

### Premium Rubber Compound Cutting Edge

1-1/2" x 10" cutting edge slices through snow and ice.



Available Sizes

12', 14', 16', 18', 20'



**7 Ga Rolled Steel Moldboard**  
with 3/8" thick side plates



**Rubber Edge**  
3/8" x 4" rubber edge mounting  
bracket, 1-1/2" x 10" premium rubber  
edge, 5/8-11, grade 5 carriage bolts



**Reinforced Support**  
4" x 4" 3/16" lower posts and  
3" x 4" x 3/16" upper posts with  
72" wide x 4.5" tall post spacing





# BACKHOE SERIES PUSHERS

Minimum Required Machine Weight of 12,000 lb

Minimum Required Horsepower of 50 HP

## STANDARD FEATURES

### Durable Tuff-Kote™ Finish

Corrosion resistant powder coat doubles the life of your pusher.

### Extreme Duty 12" H-Beam Design

Dependable strength where it's needed most.

### Inside Posts with 3/8" Side Plates

Protect the equipment from impact damage.

### Fully-Welded Lower Posts

Keeps the post higher off the ground to prevent damage from roll back.

### AR400 Wear Shoes

Abrasion resistant steel provides superior wear life.

### Premium Rubber Compound Cutting Edge

1-1/2" x 10" cutting edge slices through snow and ice.



Available Sizes  
10', 12', 14'





**7 Ga Rolled Steel Moldboard**  
with 3/8" thick side plates



**Rubber Edge**  
3/8" x 4" rubber edge mounting  
bracket, 1-1/2" x 10" premium rubber  
edge, 5/8-11, grade 5 carriage bolts



**Reinforced Support**  
4" x 4" 3/16" lower posts and  
3" x 4" x 3/16" upper posts with  
68" wide x 4.5" tall post spacing



# SKTE

Skid Steer Plows with Hydraulic  
Angling and Trip Edges  
Universal Skid Steer Mount

## STANDARD FEATURES

### Universal Skid Steer Mount

Easily mount to any skid steer.

### Hydraulic Angle Cylinders

Work with skid steers' existing hydraulic lines for responsive maneuverability.

### Trip Edge Design

To respond to hidden divots and obstacles.

### 304 Stainless Steel Moldboard & 1/2" Steel Cutting Edge

An investment that will last.

## INCLUDED ACCESSORIES

### Contoured Poly Snow Deflector

### Wire Reinforced Blade Guides

### Cast Plow Shoes



Available Sizes  
90", 96", 108"

### Trip Edge Design

Provides smoother plowing over obstacles.




### 1-1/2" x 12" Angle Cylinders

Provide greater angling force than standard cylinders.



### Optional Wings - Part No. I 16021310

Add a full 2' of width to your plow with the TE Series Plow Wing Kit.







# Our History

**1946**  
 Buyers Products Company founded by Sam Ruven and Bessie Kleinman as a distributor of driveline components.



**1992**  
 Buyers acquired Trailer Components Manufacturing (Tracom) for CNC precision machining and tooling, as well as state-of-the-art welding.



**2002**  
 Buyers moved its corporate headquarters to a brand new 235,000 sq. ft. state-of-the-art office and distribution center.



**2007**  
 Buyers began manufacturing the SnowDogg stainless steel snowplow at our Mentor, Ohio facility.



**2013**  
 Buyers acquired an additional 500,000 sq.ft. manufacturing facility in Mentor, Ohio allowing for expansion of our aluminum and stainless steel manufacturing.



**ALL YOUR WORK  
 TRUCK PRODUCTS  
 ALL THE TIME.**

**2017**  
 Buyers launches new website with business partner portal, to make online ordering and account maintenance easy for customers.



Buyers continued to grow its product offerings and build valued relationships with customers and suppliers. Increased demand for products led to the pursuit of supply chain manufacturing solutions.



**1995**  
 Buyers acquired Progressive Powder Coating. Our Nordson automatic powder application booth is used to powder coat our Buyers toolboxes and other truck and trailer accessories.



**2004**  
 Buyers acquired Romotech in New Paris, Indiana. Our Ferry Industries Rotospeed molding machines are used to manufacture our poly salt spreaders.



**2009**  
 Buyers began our operations at Boomerang Rubber, in Botkins, Ohio manufacturing mudflaps, wheel chocks and other rubber truck and trailer accessories.



**2016**  
 Buyers establishes a 22,000 sq ft Engineering Tech Center in Mentor, Ohio. It's multi-use lab, design, training and prototyping space is dedicated to the research and development of innovative product.

## Our Corporate Family of Companies



Founded in 1946, Buyers Products is a fully integrated manufacturer and a leader in the truck equipment industry. Our engineering, manufacturing and assembly operations take place in the USA, under the Buyers family of companies. **Buyers Products' mission is to improve our Customers' profitability and productivity while enhancing the quality of our products and services.**



The Buyers family of manufacturing companies

**Tracom**

**B** **Boomerang**  
RUBBER, INC.

**Romotech**  
Rotational Molding Technologies, Inc.

**P** **PROGRESSIVE**  
POWDER COATING, INC.



[www.buyersproducts.com](http://www.buyersproducts.com)

**Buyers**  
PRODUCTS COMPANY

**SnowDogg**  
by Buyers

**SaltDogg**  
by Buyers

**ScoopDogg**  
by Buyers

**DumperDogg**  
by Buyers

LITPUSHERS\_F